



Fortress
Diagnostics



DEDICATED REAGENTS

for Automated Systems
Accurate, high quality reagents for multiple analysers

HITACHI 917 DEDICATED REAGENTS

| CAT NO | PARAMETER | METHODOLOGY | SIZE |
|----------|----------------------------|--|--|
| HIT7222A | Albumin RTU | BCG | R1: 6 x 64ml R2: 6 x 16ml |
| HIT7222B | Albumin RTU | BCG | R1: 6 x 64ml |
| HIT7184A | Alkaline Phosphatase | AMP (IFCC) | R1: 6 x 66ml R2: 6 x 16ml |
| HIT7185A | Alkaline Phosphatase | DEA (DGKC) | R1: 6 x 66ml R2: 6 x 16ml |
| HIT7190A | Alpha-1-Antitrypsin | Immunoturbidimetry without sample pre-dilution | R1: 2 x 16ml R2: 1 x 10ml |
| HIT7241A | Alpha-1-Microglobulin | Immunoturbidimetry without sample pre-dilution | R1: 2 x 16ml R2: 1 x 10ml |
| HIT7213A | ALT | IFCC | R1: 4 x 66ml R2: 4 x 16ml |
| HIT7376A | Ammonia | GLDH, ENZYMATIC, UV | R1: 6 x 10ml |
| HIT7563A | Amylase | EPSG7 | R1: 6 x 66ml R2: 6 x 16ml |
| HIT7411A | Apolipoprotein A1 | Immunoturbidimetry without sample pre-dilution | R1: 2 x 16ml R2: 1 x 10ml |
| HIT7412A | Apolipoprotein B | Immunoturbidimetry without sample pre-dilution | R1: 2 x 16ml R2: 1 x 10ml |
| HIT7501A | ASO | Turbidimetric | R1: 2 x 20ml R2: 1 x 10ml R4: 1 x 1ml |
| HIT7203A | AST | IFCC | R1: 4 x 66ml R2: 4 x 16ml |
| HIT7191A | Bilirubin, Direct | | R1: 6 x 62ml R2: 6 x 19ml |
| HIT7192A | Bilirubin, Total | | R1: 6 x 62ml R2: 6 x 19ml |
| HIT7851A | C3 | Immunoturbidimetry without sample pre-dilution | R1: 2 x 16ml R2: 1 x 10ml |
| HIT7861A | C4 | Immunoturbidimetry without sample pre-dilution | R1: 2 x 16ml R2: 1 x 10ml |
| HIT7291A | Calcium | CPC | R1: 6 x 63ml R2: 6 x 29ml |
| HIT7281A | Chloride | Thiocyanate | R1: 6 x 66ml |
| HIT7280A | Cholesterol Monoliquid | CHOD-PAP | R1: 12 x 66ml |
| HIT7801A | Cholinesterase | Butyryl (DGKC) | R1: 6 x 66ml R2: 6 x 16ml |
| HIT7252A | CK | NAC-ACTIVATED | R1: 6 x 60ml R2: 6 x 15ml |
| HIT7452A | CK-MB | IMMUNOINHIBITION | R1: 6 x 20ml R2: 6 x 5ml |
| HIT7152A | CO2 | Enzymatic | R1: 6 x 20ml |
| HIT7341A | Copper Monoliquid | DBP (Colorimetric) | R1: 2 x 25ml R4: 1 x 5ml |
| HIT7111A | Creatinine | JAFFE | R1: 6 x 64ml R2: 6 x 35ml |
| HIT7382A | CRP | Immunoturbidimetry without sample pre-dilution | R1: 2 x 16ml R2: 1 x 10ml |
| HIT7591A | Fructosamine | NBT | R1: 2 x 14ml R2: 2 x 6ml |
| HIT7362A | GGT | Carboxy | R1: 6 x 66ml R2: 6 x 16ml |
| HIT7899A | GLDH | Enzymatic | R1: 2 x 20ml R2: 1 x 10ml |
| HIT7101A | Glucose Monoliquid | Enzymatic | R2: 12 x 66ml |
| HIT7672A | HbA1c | Enzymatic | R1: 1 x 21ml R2: 1 x 9ml R3: 1 x 12.5ml R4: 1 x 45ml |
| HIT7670A | HbA1c | Modified Enzymatic | R1: 3x20ml R2: 1x20ml |
| HIT7421A | HDL Cholesterol | Direct | R1: 6 x 54ml R2: 6 x 20ml |
| HIT7310A | HITACHI™ Detergent 33 | FOR HITACHI™ SYSTEMS | R1: 12 x 66ml |
| HIT7701A | IgA | Immunoturbidimetry without sample pre-dilution | R1: 2 x 16ml R2: 1 x 10ml |
| HIT7721A | IgG | Immunoturbidimetry without sample pre-dilution | R1: 2 x 16ml R2: 1 x 10ml |
| HIT7731A | IgM | Immunoturbidimetry without sample pre-dilution | R1: 2 x 16ml R2: 1 x 10ml |
| HIT7235A | Iron | Ferrozine | R1: 6 x 64ml R2: 6 x 16ml |
| HIT7236A | Iron Monoliquid | Chromazurol B | R1: 2x50ml R4: 1x5ml |
| HIT7331A | Kappa Light Chains | Immunoturbidimetry without sample pre-dilution | R1: 2 x 16ml R2: 1 x 10ml |
| HIT7242A | Lactate Dehydrogenase (LD) | Pyruvate > Lactate | R1: 6 x 66ml R2: 6 x 16ml |
| HIT7243A | Lactate Dehydrogenase (LD) | Lactate > Pyruvate | R1: 6 x 66ml R2: 6 x 16ml |
| HIT7621A | Lactate Lyo. | Enzymatic | R1: 2 x 60ml R2: 6 x 20ml |
| HIT7622A | Lactate Monoliquid | Enzymatic | R1: 6 x 20ml |
| HIT7381A | Lambda Light Chains | Immunoturbidimetry without sample pre-dilution | R1: 2 x 16ml R2: 1 x 10ml |
| HIT7431A | LDL Cholesterol | Direct | R1: 6 x 20ml R2: 6 x 8ml |
| HIT7511A | Lipase | Colorimetric | R1: 6 x 20ml R2: 6 x 13ml |

HITACHI 917 DEDICATED REAGENTS

| CAT NO | PARAMETER | METHODOLOGY | SIZE |
|----------|--------------------------|--|---------------------------------------|
| HIT7130A | Lipoprotein (a) | Immunoturbidimetry without sample pre-dilution | R1: 2 x 16ml R2: 1 x 10ml |
| HIT7352A | Magnesium | Xylidyl Blue | R1: 6 x 20ml |
| HIT7471A | Microalbumin | Immunoturbidimetry without sample pre-dilution | R1: 2 x 16ml R2: 1 x 10ml |
| HIT7NAOA | NaOH with Detergent | FOR HITACHI™ 912, & 917 | 2 LITRES |
| HIT7301A | Phosphorus Inorganic | Molybdate | R1: 6 x 63ml R2: 6 x 31ml |
| HIT7611A | RF | Turbidimetric | R1: 2 x 20ml R2: 1 x 10ml R4: 1 x 1ml |
| HIT7237A | TIBC (Direct) | Colorimetric | R1: 6 x 20ml R2: 6 x 8ml |
| HIT7173A | Total Protein RTU | Biuret | R1: 6 x 66ml |
| HIT7741A | Transferrin | Immunoturbidimetry without sample pre-dilution | R1: 2 x 16ml R2: 1 x 10ml |
| HIT7271A | Triglycerides Monoliquid | GPO-PAP | R1: 12 x 65ml |
| HIT7123A | Urea Liquid Stable | GLDH Kinetic & End Point | R1: 6 x 66ml R2: 6 x 43ml |
| HIT7602A | Uric Acid | Uricase PAP | R1: 6 x 66ml R2: 6 x 16ml |
| HIT7603A | Uric Acid Monoliquid | Uricase PAP | R1: 6 x 66ml |
| HIT7172A | Urinary Protein | Pyrogallol Red | R1: 6 x 66ml |

HITACHI 704, 717, 902, 904, 911, 912 REAGENTS

| CAT NO | PARAMETER | METHODOLOGY | SIZE |
|----------|-----------------------|--|---|
| HIT0401A | Acid Phosphatase | Fast Red | R1: 1x105ml R2: 10x10ml R3: 1x5ml R4:1 vial |
| HIT0222A | Albumin RTU | BCG | R1: 18 x 50ml |
| HIT0222C | Albumin RTU | BCG | R1: 5 x 50ml |
| HIT0222D | Albumin RTU | BCG | R1: 10 x 100ml |
| HIT0184A | Alkaline Phosphatase | AMP (IFCC) | R1: 12 x 50ml R2: 3 x 44ml |
| HIT0184D | Alkaline Phosphatase | AMP (IFCC) | R1: 6 x 50ml R2: 3 x 22ml |
| HIT0185A | Alkaline Phosphatase | DEA (DGKC) | R1: 12 x 50ml R2: 3 x 44ml |
| HIT0185D | Alkaline Phosphatase | DEA (DGKC) | R1: 6 x 50ml R2: 3 x 22ml |
| HIT0190A | Alpha-1-Antitrypsin | Immunoturbidimetry without sample pre-dilution | R1: 2 x 20ml R2: 1 x 8ml |
| HIT0888A | Alpha-1-Microglobulin | Immunoturbidimetry without sample pre-dilution | R1: 1 x 20ml R2: 1 x 4ml |
| HIT0888B | Alpha-1-Microglobulin | Immunoturbidimetry without sample pre-dilution | R1: 2 x 20ml R2: 1 x 8ml |
| HIT0213A | ALT | IFCC | R1: 12 x 50ml R2: 3 x 44ml |
| HIT0213E | ALT | IFCC | R1: 6 x 50ml R2: 3 x 22ml |
| HIT0376A | Ammonia | GLDH, ENZYMATIC, UV | R1: 5 x 10ml |
| HIT0563A | Amylase | EPG7 | R1: 19 x 22ml R2: 4 x 21ml |
| HIT0563C | Amylase | EPG7 | R1: 2 x 22ml R2: 1 x 9ml |
| HIT0564A | Amylase PANCREATIC | EPS-pNPG7 IFCC | R1: 5 x 10ml R2: 1 x 10ml |
| HIT0411A | Apolipoprotein A1 | Immunoturbidimetry without sample pre-dilution | R1: 2 x 20ml R2: 1 x 8ml |
| HIT0412A | Apolipoprotein B | Immunoturbidimetry without sample pre-dilution | R1: 2 x 20ml R2: 1 x 8ml |
| HIT0501D | ASO | Turbidimetric | R1: 2 x 20ml R2: 1 x 10ml R4: 1 x 1ml |
| HIT0203A | AST | IFCC | R1: 12 x 50ml R2: 3 x 44ml |
| HIT0203E | AST | IFCC | R1: 6 x 50ml R2: 3 x 22ml |
| HIT0090A | Beta-2-Microglobulin | | R1: 2x11ml R2: 2x4.3ml CAL;1x0.2ml |
| HIT0191A | Bilirubin, Direct | JENDRASSIK GROF | R1: 6 x 50ml R2: 3 x 22ml |
| HIT0192A | Bilirubin, Total | JENDRASSIK GROF | R1: 6 x 50ml R2: 3 x 22ml |
| HIT0851A | C3 | Immunoturbidimetry without sample pre-dilution | R1: 2 x 20ml R2: 1 x 8ml |
| HIT0861A | C4 | Immunoturbidimetry without sample pre-dilution | R1: 2 x 20ml R2: 1 x 8ml |
| HIT0292C | Calcium | Arsenazo | R1: 3 x 50ml |
| HIT0291A | Calcium | CPC | R1: 12 x 50ml R2: 6 x 43ml |
| HIT0291B | Calcium | CPC | R1: 6 x 50ml R2: 3 x 43ml |

HITACHI 704, 717, 902, 904, 911, 912

| CAT NO | PARAMETER | METHODOLOGY | SIZE |
|----------|----------------------------|--|--|
| HIT0281B | Chloride | Thiocyanate | R1: 3 x 50ml |
| HIT0261H | Cholesterol Monoliquid | CHOD-PAP | R1: 12 x 50ml |
| HIT0261I | Cholesterol Monoliquid | CHOD-PAP | R1: 10 x 100ml |
| HIT0261J | Cholesterol Monoliquid | CHOD-PAP | R1: 5 x 100ml |
| HIT0801C | Cholinesterase | Butyryl (DGKC) | R1: 6 x 50ml R2: 3 x 22ml |
| HIT0252A | CK | NAC-ACTIVATED | R1: 7 x 23ml R2: 4 x 8.4ml |
| HIT0252D | CK | NAC-ACTIVATED | R1: 2 x 21ml R2: 1 x 10ml |
| HIT0452A | CK-MB | IMMUNOINHIBITION | R1: 6 x 21ml R2: 2 x 14.6ml |
| HIT0452D | CK-MB | IMMUNOINHIBITION | R1: 2 x 21ml R2: 1 x 10ml |
| HIT0152C | CO2 | Enzymatic | R1: 6 x 20ml |
| HIT0111A | Creatinine | JAFFE | R1: 12 x 50ml R2: 3 x 45ml |
| HIT0111C | Creatinine | JAFFE | R1: 6 x 50ml R2: 3 x 22ml |
| HIT0384D | CRP | Immunoturbidimetry without sample pre-dilution | R1: 1 x 20ml R2: 1 x 4ml R4: 1x1ml |
| HIT0382A | CRP Full Range (L.S) | TURBILatex | R1: 1 x 40ml R2: 1 x 10ml R4: 1x1ml |
| HIT0777A | Cystatin-C | Turbidimetric | R1: 2 x 20ml R2: 1 x 10ml |
| HIT0591B | Fructosamine | NBT | R1: 2 x 14ml R2: 2 x 6ml |
| HIT0362A | GGT | Carboxy | R1: 12 x 50ml R2: 6 x 22ml |
| HIT0362E | GGT | Carboxy | R1: 2 x 50ml R2: 1 x 22ml |
| HIT0899A | GLDH | ENZYMATIC | R1: 2 x 20ml R2: 1 x 10ml |
| HIT0103B | Glucose | Hexokinase | R1: 12 x 50 R2: 6 x 22ml |
| HIT0101H | Glucose Monoliquid | GOD-PAP | R1: 12 x 50ml |
| HIT0101I | Glucose Monoliquid | GOD-PAP | R1: 10 x 100ml |
| HIT0101J | Glucose Monoliquid | GOD-PAP | R2: 5 x 100ml |
| HIT0672C | HbA1c | Enzymatic | R1: 1 x 21ml R2: 1 x 9ml R3:1 x 12.5ml R4: 1 x 45ml |
| HIT0670A | HBA1c | Modified Enzymatic | R1: 1 x 30ml R2: 1 x 10ml R3:2 x 100ml R4: 2 x 0.5ml |
| HIT0421A | HDL Cholesterol | Direct | R1: 6 x 40ml R2: 4 x 20ml |
| HIT0421G | HDL Cholesterol | Direct | R1: 6 x 20ml R2: 2 x 20ml |
| HIT33100 | HITACHI™ Detergent 33 | FOR HITACHI™ SYSTEMS | 10 x 100ml |
| HIT0690A | Homocysteine | Turbidimetric | R1: 2 x 16ml R2: 1 x 8ml |
| HIT0701A | IgA | Immunoturbidimetry without sample pre-dilution | R1: 2 x 20ml R2: 1 x 8ml |
| HIT0721A | IgG | Immunoturbidimetry without sample pre-dilution | R1: 2 x 20ml R2: 1 x 8ml |
| HIT0731A | IgM | Immunoturbidimetry without sample pre-dilution | R1: 2 x 20ml R2: 1 x 8ml |
| HIT0235B | Iron | Ferrozine | R1: 12 x 50ml R2: 6 x 22ml |
| HIT0235C | Iron | Ferrozine | R1: 6 x 50ml R2: 3 x 22ml |
| HIT0331A | Kappa Light Chains | Immunoturbidimetry without sample pre-dilution | R1: 2 x 20ml R2: 1 x 8ml |
| HIT0621B | Lactate | Enzymatic | R1: 1 x 100ml R2: 16 x 6ml |
| HIT0622A | Lactate Monoliquid | Enzymatic | R1: 5 x 20ml |
| HIT0242A | Lactate Dehydrogenase (LD) | Pyruvate > Lactate | R1: 12 x 20ml R2: 3 x 20ml |
| HIT0242C | Lactate Dehydrogenase (LD) | Pyruvate > Lactate | R1: 2 x 20ml R2: 1 x 8ml |
| HIT0243A | Lactate Dehydrogenase (LD) | Lactate > Pyruvate | R1: 12 x 20ml R2: 3 x 20ml |
| HIT0243C | Lactate Dehydrogenase (LD) | Lactate > Pyruvate | R1: 2 x 20ml R2: 1 x 8ml |
| HIT0381A | Lambda Light Chains | Immunoturbidimetry without sample pre-dilution | R1: 2 x 20ml R2: 1 x 8ml |
| HIT0431G | LDL Cholesterol | Direct | R1: 2 x 20ml R2: 1 x 14ml |
| HIT0511B | Lipase | Colorimetric | R1: 2 x 10ml R2: 1 x 10ml |
| HIT0130A | Lipoprotein (a) | Immunoturbidimetry without sample pre-dilution | R1: 2 x 20ml R2: 1 x 8ml |
| HIT0352A | Magnesium | Xylidyl Blue | R1: 6 x 20ml |
| HIT0351A | Magnesium | CALMAGITE | R1: 1 x 60ml R2: 1x60ml R4: 1x5ml |
| HIT0471B | Microalbumin | Immunoturbidimetry without sample pre-dilution | R1: 2 x 20ml R2: 1 x 8ml R4: 5x1ml |

HITACHI 704, 717, 902, 904, 911, 912

| CAT NO | PARAMETER | METHODOLOGY | SIZE |
|----------|-------------------------------|--|---------------------------------------|
| HITWS002 | Multiclean Cell Wash Solution | FOR HITACHI™ 704, 902, 904, & 911 | 2 LITRES |
| HITNAOHD | NaOH with Detergent | FOR HITACHI™ 912, & 917 | 2 LITRES |
| HIT0301A | Phosphorus Inorganic | Molybdate | R1: 12 x 50ml R2: 6 x 43ml |
| HIT0301B | Phosphorus Inorganic | Molybdate | R1: 3 x 50ml R2: 2 x 35ml |
| HIT0611D | RF | Turbidimetric | R1: 2 x 20ml R2: 1 x 10ml R4: 1 x 1ml |
| HIT0237B | TIBC (Direct) | Colorimetric | R1: 6 x 10ml R2: 6 x 5ml |
| HIT0171A | Total Protein RTU | Biuret | R1: 3 x 40ml R2: 3 x 45ml |
| HIT0173B | Total Protein RTU | Biuret | R1: 6 x 50ml |
| HIT0741A | Transferrin | Immunoturbidimetry without sample pre-dilution | R1: 2 x 20ml R2: 1 x 8ml |
| HIT0271A | Triglycerides Monoliquid | GPO-PAP | R1: 8 x 50ml |
| HIT0271B | Triglycerides Monoliquid | GPO-PAP | R1: 10 x 100ml |
| HIT0271C | Triglycerides Monoliquid | GPO-PAP | R1: 18 x 50ml |
| HIT0271E | Triglycerides Monoliquid | GPO-PAP | R1: 12 x 50ml |
| HIT0271F | Triglycerides Monoliquid | GPO-PAP | R1: 5 x 100ml |
| HIT0123A | Urea Liquid Stable | GLDH Kinetic & End Point | R1: 6 x 82ml R2: 3 x 100ml |
| HIT0123D | Urea Liquid Stable | GLDH Kinetic & End Point | R1: 6 x 40ml R2: 3 x 49ml |
| HIT0602A | Uric Acid | Uricase PAP | R1: 12 x 50ml R2: 6 x 22ml |
| HIT0602B | Uric Acid | Uricase PAP | R1: 6 x 100ml R2: 3 x 46ml |
| HIT0602C | Uric Acid | Uricase PAP | R1: 6 x 50ml R2: 3 x 22ml |
| HIT0603D | Uric Acid Monoliquid | Uricase PAP | R1: 6 x 50ml |
| HIT0172C | Urinary Protein | Pyrogallol Red | R1: 3 x 50ml |
| HIT0174C | Urinary Protein | Benzethonium Chloride | R1: 6 x 20ml R2: 3 x 17ml |
| HIT0462B | Zinc Monoliquid | Colorimetric | R1: 6 x 20ml |

FURUNO CA 180, CA 270, CA400 DAYTONA, DAYTONA PLUS, IMOLA COMPATABLE REAGENTS

| CAT NO | PARAMETER | METHODOLOGY | SIZE |
|----------|---------------------------|---------------------|--------------------------------|
| BXCF401A | Acid Phosphatase [Lyo.] | FAST RED | R1: 20 x 3ml |
| BXCF401B | Acid Phosphatase [Lyo.] | FAST RED | R1: 10 x 10ml |
| BXCF222A | Albumin [MONO] | BCG | R1: 9 x 51ml |
| BXCF890A | Alpha-1 Acid Glycoprotein | Immunoturbidimetric | R1: 3 x 16ml R2: 3 x 5ml |
| BXCF190A | Alpha-1 Antitrypsin | Immunoturbidimetric | R1: 3 x 16ml R2: 3 x 5ml |
| BXCF184A | ALP (AMP) | AMP | R1: 6 x 51ml R2: 6 x 14ml |
| BXCF184B | ALP (AMP) [MONO] | AMP | 6 x 21ml |
| BXCF185A | ALP (DEA) | DEA | R1: 6 x 51ml R2: 6 x 14ml |
| BXCF185B | ALP (DEA) [MONO] | DEA | 6 x 21ml |
| BXCF213A | ALT (GPT) | UV (IFCC) | R1: 6 x 51 ml R2: 6 x 14 ml |
| BXCF213B | ALT (GPT) [MONO] | UV (IFCC) | R1a: 6 x 17.5ml R1b: 6 x 3.5ml |
| BXCF376A | Ammonia | UV | R1: 4 x 20ml R2: 2 x 10ml |
| BXCF563A | Amylase | Ethylidene PNPG7 | R1: 4 x 16ml R2: 4 x 5ml |
| BXCF564A | Amylase Pancreatic | Ethylidene PNPG7 | R1: 4 x 16ml R2: 4 x 5ml |
| BXCF411A | APO A1 | Immunoturbidimetric | R1: 4 x 30ml R2: 4 x 12ml |
| BXCF410A | APO A2 | Immunoturbidimetric | R1: 2 x 11ml R2: 2 x 5ml |
| BXCF412A | APO B | Immunoturbidimetric | R1: 4 x 20ml R2: 4 x 6ml |
| BXCF413A | APO C2 | Immunoturbidimetric | R1: 2 x 11ml R2: 2 x 5ml |

FURUNO CA 180, CA 270, CA400 DAYTONA, DAYTONA PLUS, IMOLA COMPATABLE REAGENTS

| CAT NO | PARAMETER | METHODOLOGY | SIZE |
|----------|------------------------|--|---------------------------------|
| BXCF412A | APO B | Immunoturbidimetric | R1: 4 x 20ml R2: 4 x 6ml |
| BXCF413A | APO C2 | Immunoturbidimetric | R1: 2 x 11ml R2: 2 x 5ml |
| BXCF414A | APO C3 | Immunoturbidimetric | R1: 2 x 11ml R2: 2 x 5ml |
| BXCF415A | APO E | Immunoturbidimetric | R1: 2 x 11ml R2: 2 x 5ml |
| BXCF501A | ASO | Turbilatex | R1: 2 x 9ml R2: 2 x 14ml |
| BXCF501B | ASO | Turbilatex | R1: 6 x 17.2ml R2: 6 x 28.4ml |
| BXCF203A | AST | UV IFCC | R1: 6 x 51ml R2: 6 x 14ml |
| BXCF128A | AST [MONO] | UV IFCC | 6 x 21ml |
| BXCF090A | Beta-2-Microglobulin | Immunoturbidimetric | R1: 2 x 11ml R2: 2 x 4.3ml |
| BXCF050A | Barbiturates | HOMOGENEOUS ENZYME IMMUNOASSAY | R1: 2 x 16.9ml R2: 2 x 8ml |
| BXCF051A | Benzodiazepines | HOMOGENEOUS ENZYME IMMUNOASSAY | R1: 2 x 16.9ml R2: 2 x 8ml |
| BXCF581A | Bile Acids | COLORIMETRIC | R1: 2 x 18ml R2: 2 x 8ml |
| BXCF191A | Bilirubin (Direct) | JENDRASSIK | R1: 2 x 30ml R2: 8 x 4ml |
| BXCF192A | Bilirubin (Total) | JENDRASSIK | R1: 2 x 50ml R2: 8 x 4ml |
| BXCF491A | Blood Alcohol | ENZYMATIC | R1: 2 x 16.9ml R2: 2 x 8ml |
| BXCF292A | Calcium [MONO] | Arsenazo | R1: 9 x 51ml |
| BXCF291A | Calcium | CPC | R1: 6 x 51ml R2: 6 x 14ml |
| BXCF052A | Cannabinoids | HOMOGENEOUS ENZYME IMMUNOASSAY | R1: 2 x 16.9ml R2: 2 x 8ml |
| BXCF053A | Carbamazepine | LATEX ENHANCED IMMUNOTURBIDIMETRIC | R1: 2 x 12ml R2: 2 x 5ml |
| BXCF054A | Ceruloplasmin | IMMUNOTURBIDIMETRIC | R1: 2 x 13.4ml R2: 2 x 4.8ml |
| BXCF261A | Cholesterol [MONO] | CHOD-PAP | R1: 9 x 51ml |
| BXCF452A | CK-MB | IMMUNOINHIBITION | R1: 4 x 20ml R2: 4 x 6ml |
| BXCF252A | CK-nac | NAC-ACTIVATED | R1: 4 x 20ml R2: 4 x 6ml |
| BXCF341A | Copper [MONO] | Colorimetric | R1: 5 x 20ml |
| BXCF152A | CO2 Total | ENZYMATIC | R1: 4 x 21.7ml |
| BXCF055A | Cocaine Metabolite | HOMOGENEOUS ENZYME IMMUNOASSAY | R1: 2 x 16.9ml R2: 2 x 8ml |
| BXCF851A | Complement C3 | Immunoturbidimetry without sample pre-dilution | R1: 3 x 20ml R2: 3 x 6ml |
| BXCF861A | Complement C4 | Immunoturbidimetry without sample pre-dilution | R1: 3 x 20ml R2: 3 x 6ml |
| BXCF111A | Creatinine | JAFFE | R1: 6 x 51ml R2: 3 x 28ml |
| BXCF384A | CRP | IMMUNOTURBIDIMETRIC | R1: 6 x 20ml R2: 3 x 9ml |
| BXCF382A | CRP (Full Range) | IMMUNOTURBIDIMETRIC | R1: 2 x 11ml R2: 2 x 11ml |
| BXCF382B | CRP (Full Range) | IMMUNOTURBIDIMETRIC | R1: 4 x 50ml R2: 4 x 50ml |
| BXCF382C | CRP (Full Range) | IMMUNOTURBIDIMETRIC | R1: 5 x 100ml R2: 5 x 100ml |
| BXCF383A | CRP (High Sensitivity) | IMMUNOTURBIDIMETRIC | R1: 2 x 11ml R2: 2 x 11ml |
| BXCF777A | Cystatin-C | IMMUNOTURBIDIMETRIC | R1: 2 x 17.6ml R2: 2 x 6.1ml |
| BXCF541A | D-3-Hydroxybutyrate | | R1: 5x10ml R2: 5x10ml R4: 1x5ml |
| BXCF541B | D-3-Hydroxybutyrate | | R1: 10x5ml R2: 10x5ml R4: 1x5ml |
| BXCF056A | Digoxin | IMMUNOTURBIDIMETRIC | R1: 2 x 8ml R2: 2 x 6ml |
| BXCF421A | Direct HDL | DIRECT | R1: 3 x 51ml R2: 3 x 20ml |
| BXCF431A | Direct LDL | DIRECT | R1: 3 x 51ml R2: 3 x 20ml |
| BXCF057A | Ecstasy | HOMOGENEOUS ENZYME IMMUNOASSAY | R1: 2x16.9ml R2: 2x8ml |
| BXCF058A | EDDP | HOMOGENEOUS ENZYME IMMUNOASSAY | R1: 2 x 16.9ml R2: 2 x 8ml |
| BXCF441A | Ferritin | Turbilatex | R1: 3 x 20ml R2: 3 x 11ml |
| BXCF591A | Fructosamine | Enzymatic | R1: 4 x 19.8ml R2: 4 x 6.9ml |
| BXCF362A | Gamma GT (GGT) | CARBOXY | R1: 6 x 51ml R2: 6 x 14ml |
| BXCF060A | Gentamicin | IMMUNOTURBIDIMETRIC | R1: 2 x 15ml R2: 2 x 6ml |
| BXCF101A | Glucose [MONO] | GOD-PAP | R1: 4 x 20ml |
| BXCF101B | Glucose [MONO] | GOD-PAP | R1: 4 x 51ml |



FURUNO CA 180, CA 270, CA400 DAYTONA, DAYTONA PLUS, IMOLA COMPATABLE REAGENTS

| CAT NO | PARAMETER | METHODOLOGY | SIZE |
|----------|---------------------------------|------------------------------------|--|
| BXCF103A | Glucose | Hexokinase | R1: 4 x 51ml R2: 3 x 20ml |
| BXCF103B | Glucose [MONO] | Hexokinase | R1: 4 x 50ml |
| BXCF061A | Glutamate | COLORIMETRIC | R1: 4 x 20ml |
| BXCF062A | Glutamine | COLORIMETRIC | R1: 4 x 16ml R2: 4 x 6.7ml |
| BXCF551A | Glutathione Peroxidase | ENZYMATIC | R1: 8 x 10ml |
| BXCF899A | GLDH | ENZYMATIC | R1: 2 x 20ml R2: 2 x 5ml |
| BXCF099A | Haemoglobin Denaturant Reagent | IMMUNOTURBIDIMETRIC | R1: 2 x 50ml |
| BXCF496A | Haptoglobin | IMMUNOTURBIDIMETRIC | R1: 1 x 12ml R2: 2 x 2.75ml |
| BXCF690A | Homocysteine | ENZYMATIC | R1: 2 x 21.7ml R2: 2 x 4.6ml |
| BXCF670A | HbA1c Modified Enzymatic | ENZYMATIC | R1: 3 x 14ml R2: 1 x 14ml |
| BXCF701A | IGA | IMMUNOTURBIDIMETRIC | R1: 3 x 20ml R2: 3 x 14ml |
| BXCF701B | IGA | IMMUNOTURBIDIMETRIC | R1: 3 x 20ml R2: 3 x 6.2ml |
| BXCF751A | IGE | IMMUNOTURBIDIMETRIC | R1: 1 x 8ml R2: 1 x 5ml |
| BXCF721A | IGG | IMMUNOTURBIDIMETRIC | R1: 3 x 20ml R2: 3 x 14ml |
| BXCF721B | IGG | IMMUNOTURBIDIMETRIC | R1: 3 x 20ml R2: 3 x 6.2ml |
| BXCF731A | IGM [MONO] | IMMUNOTURBIDIMETRIC | R1: 3 x 20ml |
| BXCF731B | IGM | IMMUNOTURBIDIMETRIC | R1: 3 x 20ml R2: 3 x 6.2ml |
| BXCF232A | Iron | FERRENE | R1: 4 x 20ml R2: 3 x 11ml |
| BXCF301A | Inorganic Phosphorus | Molybdate | R1: 6 x 20ml R2: 3 x 20ml |
| BXCF302A | Inorganic Phosphorus [MONO] | Molybdate | R1: 6 x 20ml |
| BXCF622A | Lactate (Mono) | COLORIMETRIC | R1: 4 x 20.5ml |
| BXCF243A | LDH L-P | Lactate > Pyruvate | R1: 6 x 20ml R2: 3 x 18ml |
| BXCF242A | LDH P-L | Pyruvate > Lactate | R1: 6 x 20ml R2: 3 x 11ml |
| BXCF511A | Lipase | COLORIMETRIC | R1: 3 x 9ml R2: 3 x 6ml |
| BXCF130A | Lipoprotein (a) | IMMUNOTURBIDIMETRIC | R1: 1 x 10ml R2: 1 x 6ml |
| BXCF125A | Lithium | COLORIMETRIC | R1: 2 x 18.3ml R2: 2 x 6.5ml |
| BXCF352A | Magnesium (Xylidil Blue) [MONO] | XYLIDYL BLUE | R1: 6 x 20ml |
| BXCF063A | Methadone | HOMOGENEOUS ENZYME IMMUNOASSAY | R1: 2x16.9ml R2: 2 x 8ml |
| BXCF064A | METHAMPHETAMINES | | R1: 2x16.9ml R2: 2 x 8ml |
| BXCF471A | Microalbumin | IMMUNOTURBIDIMETRIC | R1: 6 x 20ml R2: 3 x 8ml |
| BXCF476A | NEFA (L.S) | UV Colorimetric | R1: 1 x 40ml R2: 1 x 10ml CAL: 1 x 1ml |
| BXCF065A | Opiates | HOMOGENEOUS ENZYME IMMUNOASSAY | R1: 2 x 16.9ml R2 2 x 8ml |
| BXCF066A | PARACETAMOL (Acetaminophen) | COLORIMETRIC | R1: 2 x 11ml R2: 2 x 6.5ml |
| BXCF067A | Phenobarbital | LATEX ENHANCED IMMUNOTURBIDIMETRIC | R1: 2 x 17ml R2: 2 x 6ml |
| BXCF068A | PHENYTOIN | LATEX ENHANCED IMMUNOTURBIDIMETRIC | R1: 2 x 17ml R2: 2 x 6ml |
| BXCF135A | Potassium | TPB | R1: 3 x 20ml R2: 3 x 9ml |
| BXCF611A | RF | IMMUNOTURBIDIMETRIC TURBILATEX | R1: 2 x 20ml R2: 2 x 8ml |
| BXCF069A | SALICYLATE | ENZYMATIC | R1: 2 x 11ml R2: 2 x 3.8ml |
| BXCF142A | Sodium | ENZYMATIC | R1: 3 x 20ml R2: 3 x 10ml |
| BXCF531A | Superoxide Dismutase | COLORIMETRIC | R1: 5x20ml |
| BXCF072A | THEOPHYLLINE | LATEX ENHANCED IMMUNOTURBIDIMETRIC | R1: 2 x 17ml R2: 2 x 5ml |
| BXCF237A | TIBC | GPO-PAP | R1: 4 x 9ml R2: 4 x 4ml |
| BXCF171A | Total Protein | BIURET | R1: 4 x 51ml R2: 4 x 44ml |
| BXCF741A | Transferrin | IMMUNOTURBIDIMETRIC | R1: 6 x 20ml R2: 3 x 14ml |
| BXCF070A | Transthyrethin (PreAlbumin) | IMMUNOTURBIDIMETRIC | R1: 6 x 20ml R2: 3 x 11ml |
| BXCF271A | Triglycerides [MONO] | GPO-PAP | R1: 6 x 51ml |
| BXCF123A | Urea (L.S) | GLDH Kinetic & Endpoint | R1: 3 x 51ml R2: 3 x 10ml |
| BXCF126A | Urea [MONO] | ENZYMATIC KINETIC | 6 x 21ml |

FURUNO CA 180, CA 270, CA400 DAYTONA, DAYTONA PLUS, IMOLA COMPATABLE REAGENTS

| CAT NO | PARAMETER | METHODOLOGY | SIZE |
|----------|--|------------------------|----------------------------|
| BXCF602A | Uric Acid | URICASE PAP | R1: 6 x 51ml R2: 4 x 20ml |
| BXCF603A | Uric Acid [MONO] | ENZYMATIC COLORIMETRIC | R1: 9 x 51ml |
| BXCF172A | Urinary Protein [MONO] | Pyrogallol Red | R1: 3 x 100ml |
| BXCF071A | Valproic Acid | IMMUNOTURBIDIMETRIC | R1: 2 x 15ml R2: 2 x 6ml |
| BXCF462A | Zinc | COLORIMETRIC | R1: 1 x 50ml R2: 1 x 250ml |
| BXCF901A | Sample Precision Test Solution (SABS) | | R1: 2 x 10ml |
| BXCF902A | Reagent Precision Test Solution (RABS) | | R1: 1 x 20ml |
| BXCF903A | Saline Diluent | | R1: 10 x 100ml |
| BXCF904A | Wash Solution No. 1 (Acid) | | 6 x 25ml |
| BXCF905A | Wash Solution No. 2 (Alkali) | | 6 x 25ml |
| BXCF906A | Wash Solution No. 3 (Neutral) | | 6 x 25ml |
| BXCF907A | SMS Acid Wash Solution (HCL) | | R1: 6 x 80ml |
| BXCF908A | Ion Selective Electrodes (ISE-CAL B) | | R1: 1 x 125ml |
| BXCF909A | ISE Calibrator A | | R1: 1 x 500ml |
| BXCF910A | ISE Urine Diluent | | R1: 2 x 50ml |
| BXCF911A | ISE Wash Solution | | R1: 1 x 90ml R2: 6 x 15ml |
| BXCF912A | C1 Acid Wash Solution | | 1 x 5L |



Fortress Diagnostics Ltd, Unit 2C, Antrim Technology Park,
Belfast Road, Co. Antrim, Northern Ireland, BT41 1QS
United Kingdom



+44 (0)28 9448 7676



+44 (0)28 9446 9933



info@fortressdiagnostics.com

www.fortressdiagnostics.com